



Model: 14 ROAD / TT - CA (Frame / Fork / Post Kit)

Exclusive high modulus carbon

Aero Dynamic design, 1-1/8" to 1-1/4" tapered H/T

Weight (with one color painting): FM 1.18kg (54CM) / FK 355g

Frame size: 700C*49 / 52 / 54 / 56 / 58.5(C-T)

2-in-1 compatible with mechanical & shimano Di2

THE EXCELLENT R&D TEAM

Fax: 886-2-2505-7663, 2505-9771

E-mail: shinwhel@shinee.com.tw

Website: www.itek bikes.com



Model: RIM4026 / RIM5626

Aerodynamic Full Carbon Rim Clincher

Weight (Rim only): 40mm:480g / 56mm:520g

Width: 26mm for 25~28C comfort / Endurance Bike

Wheel set spec.: To Order

Model: 15 ROAD RACE DISC-CA (Frame / Fork)

Exclusive high modulus carbon

Weight: Frame:1000g (52CM in C-T) / Fork:420g

Frame size:(C-T) 49 / 52 / 54 / 56 / 58.5CM

1-1/8" to 1.5" tapered H/T, Post Mount Disc



Model: 650B-SUS-CA1

Exclusive high modulus Full Carbon XC

Weight: 1.9kg (w/o shock, 18.5")

Frame size:27.5"*16.5 / 18.5 / 20.5"

Travel: 120mm (shock=190L)

Tapered H/T (1-1/8" to 1.5"), Post mount Disc on CS

Direct Mount FD, BB92, 142mm thru hub axle



Model: SHIMANO STEPS E-BIKE frame

with Belt drive system

Alloy frame in ODM or OEM cooperation!



Alu. Weight 1135g !!



Model: 14 ROAD-X6

Super light weight alloy road racing frame
Weight: Frame:1135g (52CM in C-T) / Fork:355g
Frame size:(C-T) 46 / 48 / 50 / 52 / 54 / 56 / 58 / 60 / 62 / 64CM
1-1/8" to 1-1/4" tapered H/T, 2-in-1 for Di2 & Mechanical



Model: 15 ROAD RACE

Exclusive high modulus Carbon Race
Weight: 950g (50CM)
Frame size:700C * 45 / 47 / 50 / 53 / 56 / 59cm
Tapered H/T (1-1/8" to 1.5"), Press Fit BB86
Available with Di2 + Mechanical 2-in-1 version!



Model: 15 ROAD TEAM

Exclusive high modulus carbon
Weight: Frame:1030g (53CM) / Fork:370g
Frame size: 47 / 50 / 53 / 56 / 59 / 62cm (C-T)
Available with 68mm BSA BB / BB30 / PressFit BB86
1-1/8" to 1-1/4" tapered H/T
New version for 27.2mm post available now!



Model: ROAD ENDURANCE

Exclusive high modulus Carbon Race
Longer HT & RC for comfort purpose
Weight: 999g (51CM)
Frame size:700C * 48 / 51 / 54 / 57 / 60cm
Tapered H/T (1-1/8" to 1-1/2"), BSA/BB86



Model: 650B - AL4

Weight: 1.90kg (45CM)
Frame size: to order
Tapered H/T (1-1/8" to 1.5"), Post Mount Disc on CS
Press Fit BB92, 29er Available!



Model: 650B - AL5

Weight: 1.80kg (45CM)
Frame size: to order
Tapered H/T (1-1/8" to 1.5"), Post Mount Disc on CS
142mm Thru Axle

29er



Model: 29er-14

Exclusive high modulus Full Carbon XC
Weight: 1.30kg (48CM)
Frame size: 29" * 43 / 48 / 54CM
Tapered H/T (1-1/8" to 1.5"), PM-Disc, D-Mount FD,
142mm thru hub axle, Press Fit BB92 only

29er



Model: 29er-15

Exclusive high modulus Full Carbon XC
Weight: 1.25kg (17.5")
Frame size: 29" * 15.5 / 17.5 / 19 / 21"
Press Fit BB92, Internal Cable routing
Available with Di2 version!

650B



Frame Model Name: 650B-CA1

Exclusive high modulus Carbon Frame
Weight: 1.30kg (49CM)
Frame size: 27.5" * 40 / 44 / 49 / 53CM
PM Disc, Direct Mount FD
Tapered H/T (1-1/8" to 1.5"), BB92 only

650B



Model: 650B-CA4

Exclusive high modulus Carbon Frame
Weight: 1150g (17.5")
Frame size: 27.5" * 15.5 / 17.5 / 19 / 21"
Post Mount Disc Brake on CS, BB92
Tapered H/T (1-1/8" to 1.5"), 135/142 Thru Axle

650B



Model: 650B-CA5

Exclusive high modulus Carbon Frame
Weight: 1200g (17.5")
Frame size: 27.5" * 15.5 / 17.5 / 19"
Post Mount Disc Brake on CS, BB92
Tapered H/T (1-1/8" to 1.5"), 135/142 Thru Axle



Model: 15 BOSCH City

Frame size: To Order
Shimano STEPS
interface also available!



Battery on ST